



TECHNICAL NOTES



Tribactral[®] S

Antibacterial Solution for Injection



Active Constituents

Trimethoprim 40 mg/mL, sulfadoxine 200 mg/mL

Actions

Effective against most Gram-positive and Gram-negative bacteria. The two components produce a sequential double blockade of bacterial metabolism providing a broader spectrum of activity than either component acting alone.

Indications

Bacterial infections due to susceptible organisms.

Note: These pathogens are NOT sensitive to Tribactral S: *Erysipelothrix*, *Leptospira*, *Pseudomonas* and *Mycobacterium tuberculosis*.

Contraindications

Known sulfonamide sensitivity. Parenchymal hepatic damage. Blood dyscrasias. Prior to and after treatment with sedatives / anaesthetics when horse is recumbent.

Withholding Periods

Meat: DO NOT USE less than 14 days (cattle, sheep, pigs) or 28 days (horses) before slaughter for human consumption.

Milk: 36 hours (3 milkings) for single dose, 72 hours (6 milkings) for multiple doses.





TECHNICAL NOTES



Dosage and Administration

Shake well before use.

Intramuscular injection

Cattle, sheep, pigs: 1 mL/15 kg bodyweight daily. 1 mL/10 kg bodyweight in cases of severe infection.

Cats: 1 mL/15 kg.

Subcutaneous injection

Dogs, cats: 1 mL/15 kg.

Note: In dogs and cats, if treatment is to be continued with a course of either Tribriksen 20 or Tribriksen 80 within 12 hours, administer at a dose of 1 mL/15 kg. If the administration of the first tablet is to be delayed until the day following injection, then the dose is 1 mL/8 kg bodyweight.

Slow intravenous injection

Horses: 1 mL/15 kg daily. **The subcutaneous and intramuscular routes are not recommended in horses.**

Where necessary, for instance in cases of acute infection, Tribactral S may also be administered intravenously to cattle, sheep, pigs and dogs. **DO NOT USE** intravenously in cats.

Presentation

Injection: 100 mL

GHS information

See Safety Data Sheet for GHS information.

Storage

Store below 25°C (air conditioning). Use unused portion within 28 days of first broaching. Protect from light.

Poisons Schedule

S4

Registration Number

APVMA No. 53733

